

*E1 Contd*

modifying the particular network address of the datastore to reflect the address of the intermediary gateway device; and

providing access to the network addressable datastore through the intermediary gateway device using the modified address of the network addressable datastore, wherein the intermediary gateway device controls the access to the network addressable datastore.

*D2 Sub E2*

35. (Amended) A computer for managing information using an intermediary gateway device having a corresponding network address, the computer comprising:

a memory having program instructions; and

a processor, responsive to the program instructions, configured to:

receive a request to communicate with a network accessible datastore having a particular network address;

modify the particular network address of the datastore to reflect the address of the intermediary gateway device; and

provide access to the network addressable datastore through the intermediary gateway device using the modified address of the network addressable datastore, wherein the intermediary gateway device controls the access to the network addressable datastore.

*D3 Sub E3*

37. (Amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method for managing information using an intermediary gateway device having a corresponding network address, the method comprising the steps of:

receiving a request to communicate with a network accessible datastore having a particular network address;

modifying the particular network address of the datastore to reflect the address of the intermediary gateway device; and

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

03 23  
cont

providing access to the network addressable datastore through the intermediary gateway device using the modified address of the network addressable datastore, wherein the intermediary gateway device controls the access to the network addressable datastore.

04  
Sub  
ex

39. (Amended) An apparatus for managing information using an intermediary gateway device having a corresponding network address, the apparatus comprising:

means for receiving a request to communicate with a network accessible datastore having a particular network address;

means for modifying the particular network address of the datastore to reflect the address of the intermediary gateway device; and

means for providing access to the network addressable datastore through the intermediary gateway device using the modified address of the network addressable datastore, wherein the intermediary gateway device controls the access to the network addressable datastore.

05  
Sub  
ex

41. (Amended) A computer-implemented method for managing information, the method comprising the steps of:

providing an intermediary gateway device for communicating with network accessible datastores;

receiving a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

providing access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device, wherein the intermediary gateway device controls the access to the particular network addressable datastore.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

42. (Amended) A computer for managing information, the computer comprising:

a memory having program instructions; and

a processor, responsive to the program instructions, configured to:

provide an intermediary gateway device for communicating with network accessible datastores;

receive a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

provide access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device, wherein the intermediary gateway device controls the access to the particular network addressable datastore.

43. (Amended) A computer-readable medium containing instructions for controlling a data processing system to perform a method for managing information, the method comprising the steps of:

providing an intermediary gateway device for communicating with network accessible datastores;

receiving a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

providing access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device, wherein the intermediary gateway device controls the access to the particular network addressable datastore.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000